

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/775,668	02/05/2001	Charles Coulier	032326-119	9326
7.	590 02/01/2005		EXAM	INER
James A. LaBarre			JUNTIMA, NITTAYA	
BURNS, DOA	NE, SWECKER & MA'	ΓHIS, L.L.P.		
P.O. Box 1404			ART UNIT	PAPER NUMBER
Alexandria, V	A 22313-1404		2663	

DATE MAILED: 02/01/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

			$\cap k$
	Application No.	Applicant(s)	— ()
Office Action Summary	09/775,668	COULIER, CHARLES	
Office Action Summary	Examiner	Art Unit	
The MANIMO DATE AND	Nittaya Juntima	2663	
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tin y within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication D (35 U.S.C. § 133).	ı.
Status			
1)⊠ Responsive to communication(s) filed on <u>08 O</u>	ctober 2004.		
· _ · ·	action is non-final.	•	
3) Since this application is in condition for allowar		secution as to the merits is	}
closed in accordance with the practice under E	•		
Disposition of Claims			
4) ☐ Claim(s) 1-8 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-2,4,7 is/are rejected. 7) ☐ Claim(s) 3,5,6 and 8 is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or			
Application Papers			
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on <u>08 October 2004</u> is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Ex	: a)⊠ accepted or b)⊡ objected drawing(s) be held in abeyance. Sec tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d	i).
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage	
Attachment(s)			
1) X Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) ∐ Interview Summary Paper No(s)/Mail Da		
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	_	Patent Application (PTO-152)	

Application/Control Number: 09/775,668 Page 2

Art Unit: 2663

DETAILED ACTION

1. This action is in response to the amendment filed on 10/8/2004.

2. The objections to the drawings and claims are withdrawn in view of applicant's

amendment.

3. Claims 1-2, 4, and 7 remain rejected under 35 U.S.C 102(e).

4. Claims 3, 5, 6, and 8 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the

limitations of the base claim and any intervening claims.

Claim Objections

- 5. Claim 4 is objected to because of the following informalities:
- in claim 4, ll 2, "the first transaction" should be changed to "a first transaction" to avoid a lack of antecedent basis.

Appropriate correction is required.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Art Unit: 2663

7. Claims 1-2, 4, and 7 are rejected under 35 U.S.C. 102(e) as being anticipated by Bastiani et al. (USPN 6,675,243 B1).

Per claim 1, as shown in Fig. 36, Bastinani et al. teach interchanging transactions (exchanging of command and status, col. 38, ll 26-29) by means of a bus (a serial bus, Fig. 2, col. 6, Il 15-20) between the terminal (host computer 102 in Fig. 2) and the object (the device 106 in Fig. 2), each downlink transaction (transmission of OUTDATA 0/1 from the host to the device) comprising successively a token packet (the first 7 bytes of an OUTDATA 0/1 packet containing SYN, PT, BC, and DT fields constitute a token packet, Fig. 20, col. 25, ll 29-49, col. 38, ll 26-37), a data packet (the data and CRC fields of an OUTDATA 0/1 packet constitute a data packet with ATA/ATAPI command encapsulation, Fig. 20, col. 25, 11 29-49, and col. 38, 11 26-37), and a handshake packet (ACK packet sent from device to host, col. 38, 11 26-37 and col. 26, 11 26-29), and each uplink transaction (transmission of DATA 0/1 packet from device to host) comprising a token packet (INSTART packet indicating polling of device status, col. 38, 11 26-37), a data packet (DATA 0/1 packet containing device status, col. 38, 11 26-37), and a handshake packet (INSTOP packet implying ACK, col. 38, ll 26-37 and col. 26, ll 9-11), encapsulating the header of each command (8 bytes of the ATA command must contain the header of a command, col. 47, ll 6-10) in the data field of data packet of a downlink transaction (data field of Fig. 20 of an OUTDATA 0/1 packet, col. 38, 1l 26-33) transmission of OUTDATA 0/1 from the host to the device), and the data field of a command (not defined, reads on a field of 8-byte ATA command) in the data field of at least one downlink transaction (col. 38, 11 29-33 and col. 47, 11 6-8, see also col. 25, ll 36-37), encapsulating the data field (not defined, reads on a field of 8-byte ATA status) and the trailer of each response (reads on 8 bytes of ATA status) in the data field of the data

Art Unit: 2663

packet of at least one uplink transaction (data field as shown in Fig. 22 of a DATA 0/1 packet, col. 38, ll 33-37 and col. 47, ll 8-10, see also col. 25, ll 50-62).

Per claim 2, as shown in Fig. 36, Bastiani et al teach that each token packet (each of INSTART packet) contains an identifier (IN) indicating the direction of the transfer of the data packet (DATA 0/1) succeeding it in a transaction.

Per claim 4, as shown in Fig. 36, Bastiani et al. teach that the token packet (the first 7 bytes of an OUTDATA 0/1 packet containing SYN, PT, BC, and DT fields constitute a token packet, Fig. 20, col. 25, ll 29-49, col. 38, ll 26-37) of a first transaction (not defined, reads on a transmission of the an OUTDATA 0/1 packet of Fig. 36 from host to device) in a sequence of a plurality of successive transactions (a sequence of a plurality of successive transactions is not defined, reads on transmissions of ACK, INSTART, DATA0/1, and INSTOP packets in which each provides a portion of a command or a response, col. 25, ll 50-62, col. 26, ll 3-12) contains an identifier announcing the beginning of the sequence (an identifier reads on the DT field of an OUTDATA0/1 packet which indicates whether the data is link control, device control or device data identifying the beginning of the sequence of transmissions of ACK, INSTART, DATA0/1, and INSTOP packets, col. 25, ll 45-47, col. 38, ll 26-37).

Per claim 7, Bastiani et al. teach that the beginning of the data field (8 bytes out of the maximum allowable data packet size, col. 14, ll 1-15, col. 25, ll 36-37, col. 47, ll 6-8) of the data field (DATA) of a data packet in the downlink transaction (OUTDATA 0/1 in Fig. 20) also contains an identifier of the format of the command (since the device returns status based on the command it previously received on the OUTDATA0/1 packet, therefore, the 8-byte ATA

Application/Control Number: 09/775,668

Page 5

Art Unit: 2663

command encapsulated in the OUTDATA 0/1 packet must contain an identifier to identify its format in order to command the device to execute specific task, col. 38, 11 29-37).

Response to Arguments

8. Applicant's arguments regarding claims 1, 2, and 4 have been fully considered but they are not persuasive.

Α. In the remarks regarding claim 1, the applicant argues that in the downlink transaction, Bastiani does not teach a token packet as a distinct packet from a data packet.

In response, because the structure of a token packet and a data packet is not clearly defined in the claim, therefore, the office interprets the first 7 bytes containing in SYN, PT, BC and DT fields of an OUTDATA 0/1 packet as a token packet, and the rest of the bytes containing in DATA and CRC fields as a data packet (Fig. 20, col. 25, ll 36-49). Therefore, Bastiani clearly teaches that each downlink transaction (transmission of OUTDATA 0/1 from the host to the device, Fig. 36) comprising successively a token packet (the first 7 bytes of an OUTDATA 0/1 packet containing SYN, PT, BC, and DT fields constitute a token packet, Fig. 20, col. 25, ll 29-49, col. 38, ll 26-37), a data packet (the data and CRC fields of an OUTDATA 0/1 packet constitute a data packet with ATA/ATAPI command encapsulation, Fig. 20, col. 25, 11 29-49, and col. 38, ll 26-37), and a handshake packet (ACK packet sent from device to host, col. 38, ll 26-37 and col. 26, ll 26-29) as recited in the claim. The rejection of claim 1 is sustained.

B. In the remarks regarding claim 2, the applicant argues that Bastiani does not teach that both of the downlink token packet and the uplink token packet contain an identifier.

Art Unit: 2663

In response, note that the recited claim element "each token packet" does not reference to both of the downlink token packet and the uplink token packet. Therefore, Bastiani clearly teaches that each token packet (INSTART packet, Fig. 36, col. 38, ll 38-46) contains an identifier (IN) indicating the direction of the transfer of the data packet (DATA 0/1, Fig. 36, col. 38, ll 38-46) succeeding it in a transaction. Thus, the rejection of claim 2 is maintained.

C. In the remarks regarding claim 4, the applicant further argues that the claimed subject matter, i.e. the plurality of successive transactions each provides a portion of a command or a response, is not anticipated by Bastiani.

In response, since a sequence of a plurality of successive transactions is not defined in the claim, therefore, it reads on transmissions of ACK, INSTART, DATA0/1, and INSTOP packets in which each provides a portion of a command or a response, col. 25, ll 50-62, col. 26, ll 3-12.

Bastiani further teaches that a token packet (the first 7 bytes of an OUTDATA 0/1 packet containing SYN, PT, BC, and DT fields constitute a token packet, Fig. 20, col. 25, ll 29-49, col. 38, ll 26-37) of a first transaction (not defined, reads on a transmission of an OUTDATA 0/1 packet of Fig. 36 from host to device) contains an identifier announcing the beginning of the sequence (an identifier reads on the DT field of an OUTDATA0/1 packet which indicates whether the data is link control, device control or device data identifying the beginning of the sequence of transmissions of ACK, INSTART, DATA0/1, and INSTOP packets, col. 25, ll 45-47, Fig. 36, col. 38, ll 26-37). Therefore, Bastiani anticipates the claimed subject matter, and the rejection of claim 4 is maintained.

Conclusion

Application/Control Number: 09/775,668

Art Unit: 2663

9. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure.

- USPN 5,987,530 (Thomson), disclosing a downlink transaction with a data packet

containing a command, and an uplink transaction in a USB environment (Figs. 5 and 6).

10. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Nittaya Juntima whose telephone number is 571-272-3120. The

examiner can normally be reached on Monday through Friday, 8:00 A.M - 5:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Ricky Ngo can be reached on 571-272-3139. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Nittaya Juntima January 26, 2005

M

Page 7